



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

idress:	COMMISSIONER FOR PATENTS	
	P.O. Box 1450	
	Alexandria, Virginia 22313-1450	

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/675,975	09/29/2000	Gregory Henry	042390.P8940	1733
7590 08/12/2004			EXAMI	NER
Kenneth B Pa		NAHAR, Q	NAHAR, QAMRUN	
Blakely Sokolo Seventh Floor	ff Taylor & Zafman LLP	ART UNIT	PAPER NUMBER	
12400 Wilshire Boulevard			2124	
Los Angeles, (CA 90025-1026		DATE MAILED: 08/12/2004	16

Please find below and/or attached an Office communication concerning this application or proceeding.

	- 1 A 11 G A							
·	Application No.	Applicant(s)						
	09/675,975	HENRY, GREGORY						
Office Action Summary	Examiner	Art Unit						
	Qamrun Nahar	2124						
The MAILING DATE of this communication Period for Reply	n appears on the cover sheet w	vith the correspondence address						
A SHORTENED STATUTORY PERIOD FOR R THE MAILING DATE OF THIS COMMUNICAT - Extensions of time may be available under the provisions of 37 Of after SIX (6) MONTHS from the mailing date of this communicati - If the period for reply specified above is less than thirty (30) days - If NO period for reply is specified above, the maximum statutory - Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	ION. FR 1.136(a). In no event, however, may a on. , a reply within the statutory minimum of thi period will apply and will expire SIX (6) MO statute, cause the application to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).						
Status								
1) Responsive to communication(s) filed on	06 July 2004							
· · · · · · · · · · · · · · · · · · ·	This action is non-final.							
3) Since this application is in condition for all								
Disposition of Claims								
4) ☐ Claim(s) <u>1,4-10,13-20,22,23 and 25-30</u> is 4a) Of the above claim(s) is/are wit 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) <u>1, 4-10, 13-20, 22-23 and 25-30</u> 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and application Papers	thdrawn from consideration.							
_	aminer							
	9) ☐ The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request that any objection t								
Replacement drawing sheet(s) including the c		• •						
11)☐ The oath or declaration is objected to by t	he Examiner. Note the attache	d Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
Attachment(s)	 .							
1)		Summary (PTO-413) (s)/Mail Date						
Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date	,	Informal Patent Application (PTO-152)						

Application/Control Number: 09/675,975 Page 2

Art Unit: 2124

DETAILED ACTION

1. This action is in response to the RCE filed on 7/6/04.

- 2. The rejection under 35 U.S.C. 103(a) as being unpatentable over Hayashi (U.S. 5,396,631) in view of Buzbee (U.S. 5,815,720) to claims 1-2, 4-11, 13-23 and 25-30 is moot in view of the new ground(s) of rejection.
- 3. The rejection under 35 U.S.C. 103(a) as being unpatentable over Hayashi (U.S. 5,396,631) in view of Buzbee (U.S. 5,815,720), and further in view of Granston (U.S. 5,966,538) to claims 3, 12 and 24 is moot in view of applicant's amendments.
- 4. Claims 2-3, 11-12, 21 and 24 have been cancelled.
- 5. Claims 1, 10 and 20 have been amended.
- 6. Claims 1, 4-10, 13-20, 22-23 and 25-30 are pending.
- 7. The objection to claim 20 is pending.
- 8. Claims 10, 13-19, 20, 22-23 and 25-30 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 9. Claims 1, 4-10, 13-20, 22-23 and 25-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayashi (U.S. 5,396,631) in view of Buzbee (U.S. 5,815,720), and further in view of Granston (U.S. 5,966,538).

Art Unit: 2124

Response to Amendment

Claim Objections

10. Claim 20 is objected to because of the following informalities: "met" on line 8 of the claim should be "met;". Appropriate correction is required.

Claim Rejections - 35 USC § 112

- 11. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 12. Claims 10, 13-19, 20, 22-23 and 25-30 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 13. Claim 10 recites the limitation "the machine language routine" in line 8 of the claim. There is insufficient antecedent basis for this limitation in the claim. This limitation is interpreted as "the object language routine".

Claims 13-19 are rejected for dependency upon rejected base claim 10 above.

14. Claim 20 recites the limitation "an evaluator to determine if **the** characteristics of an execution of **the** optimized object routine is in accordance with a stopping criterion and if not, to repeat an execution of **the** optimizer, an execution of **the** re-optimized code, and an execution of **the** execution characteristic measurer, until the stopping criterion is met" in lines 4-8 of the claim. There is insufficient antecedent basis for this limitation in the claim. This limitation is

Art Unit: 2124

Page 4

interpreted as "an evaluator to determine if a characteristics of an execution of an optimized object routine is in accordance with a stopping criterion and if not, to repeat an execution of an optimizer, an execution of a re-optimized code, and an execution of an execution characteristic measurer, until the stopping criterion is met".

Claims 22-23 and 25-30 are rejected for dependency upon rejected base claim 20 above.

Claim Rejections - 35 USC § 103

- 15. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 16. Claims 1, 4-10, 13-20, 22-23 and 25-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayashi (U.S. 5,396,631) in view of Buzbee (U.S. 5,815,720), and further in view of Granston (U.S. 5,966,538).

Per Claim 1 (Amended):

Hayashi teaches a method of compiling a source language routine ("An object of the present invention is to provide a compiling apparatus and a compiling method that meet a variety of requirements for optimization. A compiler according to the present invention provides a high-performance object code, according to a target architecture, a source program, and optimization requirements." in column 3, lines 6-14); generating in a computer system an intermediate language routine from the source language routine ("In Fig. 2, the front end 2 changes the source

Art Unit: 2124

program 1 into the intermediate representations." in column 5, lines 48-49); specifying an initial value of each routine variable ("Data 20 corresponds to the data 10 of Fig. 1 and indicates the characteristics of source-program-dependent intermediate representations provided by the front end." in column 6, lines 56-59; Data 20 contains specified initial values for routine variables, which are used for subsequent optimizations, that is, Hayashi inherently teaches specifying an initial value of each routine variable); performing an optimizing change to the intermediate language routine that results in an altered intermediate language routine; and generating a machine language routine in a computer system from the altered intermediate language routine ("In Fig. 3, step S1 picks up optimization functions to be held in a compiler. The optimization data 22 includes a list of optimization functions corresponding to the front-end intermediate representation data 20 and code providing intermediate representation data 21, and the step S1 selects some of the optimization functions from the data 22, so that they are executed by the optimizing compiler. This selection may be made by a person who prepares the compiler. ... Step S3 determines a compiler structure in two steps S30 and S31. The step S30 determines the number of times of changing intermediate representations. In principle, this number corresponds to the number of classes of the classified optimization functions. The number may also be determined according to the types of intermediate representations and the intermediate representation dependencies of the optimization functions. The step S31 determines the optimization functions in three steps S310, S311, and S312. The step S312 determines the execution order of the optimization functions according to the front-end and code-providing dependencies of the functions. Once the optimizing structure is determined, the intermediate representation optimizing and changing processes are carried out according to the determined

Art Unit: 2124

results. Namely, the intermediate representations are changed and optimized phase by phase, to provide codes that form an optimized object program." in column 6, lines 66-68 to column 7, lines 1-6; and column 7, lines 26-51).

Hayashi does not explicitly teach before said performing: generating a machine language routine in a computer system from the intermediate language routine; executing the machine language routine from the main memory of the first computing system using the initialized values; measuring a characteristic of the execution; initializing the variables to the specified initial value; executing the machine language routine from a main memory of a first computing system having the architecture of a target computer system using the initialized values; measuring a characteristic of the execution; and evaluating whether a stopping criterion after said executing is met and if not, repeating said performing through said measuring, saving the machine language routine having a best measured characteristic, until the stopping criterion is met wherein said characteristic includes at least one of a timing wherein the best measured timing is a lowest timing, a machine language routine size, and a bus utilization metric.

Buzbee teaches before said performing: generating a machine language routine in a computer system from the intermediate language routine (column 3, lines 32-33); executing the machine language routine from the main memory of the first computing system using the initialized values; and measuring a characteristic of the execution (column 3, lines 33-34); initializing the variables to the specified initial value; executing the machine language routine from a main memory of a first computing system having the architecture of a target computer system using the initialized values ("application 53 is run, in a step 55, under a translator ...

Table 2 below shows an example of how the source code in Table 1 looks when compiled into

Art Unit: 2124

object code ... Store 0 in sum" in column 6, lines 4-5 and lines 41-67; Tables 1 and 2; and Fig. 6; for example, the variable sum is initialized to 0, which is the specified initial value); measuring a characteristic of the execution ("In order to gather profile information, application 53 is run, in a step 55, under a translator." in column 6, lines 4-5 and Fig. 6); and evaluating whether a stopping criterion after said executing is met and if not, repeating said performing through said measuring, saving the machine language routine having a best measured characteristic, until the stopping criterion is met ("The process may be repeated to further optimize optimized application 53.

Profile information 55 gathered from each dynamic translation and execution of optimized application 53 is used to further optimize application 53 at a next compile. The annotations are adjusted on each compilation to obtain additional profile information which will be used in future compilations. This iterative process can continue until no further optimizations to optimized application 53 can be found, or until the performance of optimized application 53 satisfies the developer/tester of optimized application 53." in column 6, lines 18-28 and Fig. 6, the machine language routine having a best measured characteristic is inherently saved).

Granston teaches that the characteristic includes at least one of a timing wherein the best measured timing is a lowest timing, a machine language routine size, and a bus utilization metric (column 4, lines 34-48).

It would have been obvious to one having ordinary skill in the computer art at the time of the invention was made to modify the method disclosed by Hayashi to include before said performing: generating a machine language routine in a computer system from the intermediate language routine; executing the machine language routine from the main memory of the first computing system using the initialized values; measuring a characteristic of the execution;

time and code size by optimizing code.

Art Unit: 2124

initializing the variables to the specified initial value; executing the machine language routine from a main memory of a first computing system having the architecture of a target computer system using the initialized values; measuring a characteristic of the execution; and evaluating whether a stopping criterion after said executing is met and if not, repeating said performing through said measuring, saving the machine language routine having a best measured characteristic, until the stopping criterion is met wherein said characteristic includes at least one of a timing wherein the best measured timing is a lowest timing, a machine language routine size, and a bus utilization metric using the teaching of the combination of Buzbee and Granston. The modification would be obvious because one of ordinary skill in the art would be motivated to further optimize optimized object code based on run-time profile data and to reduce execution

Page 8

Per Claim 4:

The rejection of claim 1 is incorporated, and Hayashi further teaches including defining a plurality of segments within the intermediate language routine, each said segment comprising consecutive intermediate language routine statements wherein no segment includes a same intermediate language routine statement, and the performing an optimizing change is performed within one of the segments (column 6, lines 19-22 and column 7, lines 7-51).

Per Claim 5:

The rejection of claim 1 is incorporated, and Hayashi further teaches including determining ordering dependencies in said intermediate language routine wherein said

Art Unit: 2124

performing an optimizing change includes maintaining the determined ordering dependencies (column 10, lines 34-40).

Per Claim 6:

The rejection of claim 1 is incorporated, and Hayashi further teaches wherein the optimizing change comprises one of a generic optimization, a reordering, a user selectable reordering, a user selectable global reordering, a user selectable insertion of at least one instruction in a selectable position in the intermediate language routine, and a user selectable removal of at least one instruction from a selectable position in the intermediate language routine; wherein each optimizing change does not affect the intermediate language routine integrity (column 8, lines 37-48; column 10, lines 14-43; and Fig. 5).

Per Claim 7:

The rejection of claim 1 is incorporated, and Buzbee further teaches including after the generating the machine language routine and before the executing the machine language routine, at least one use selectable optimization to the machine language routine (column 5, lines 66-67 to column 6, lines 1-3).

Per Claim 8:

The rejection of claim 1 is incorporated, and the combination of Hayashi and Buzbee further teaches wherein the optimizing changes in a sequence of a plural number of a repeated said performing resulting from the stopping criterion not met is performed according to a process

Art Unit: 2124

that includes at least one of a non-repeating optimizing change (Hayashi, column 6, lines 41-46), a user selectable optimization change sequence (Buzbee, column 5, lines 66-67 to column 6, lines 1-3); and a parallel search across a plural number of processing units (Hayashi, column 11, lines 61-65).

Per Claim 9:

The rejection of claim 1 is incorporated, and Buzbee further teaches wherein the initializing further includes initializing the position of at least part of said machine language routine in the first computing system memory, and the executing includes executing the machine language using the initialized position (column 4, lines 41-67).

Per Claim 10 (Amended, as best understood):

This is a machine-readable medium version of the claimed method discussed above, claim 1, wherein all claim limitations also have been addressed and/or covered in cited areas as set forth above, including "executing a measuring routine to define the measurement of a characteristic of an execution of a compiled representation of the routine" (Hayashi, column 12, lines 3-18). Thus, accordingly, this claim is also obvious.

Per Claims 13-18 (as best understood):

These are machine-readable medium versions of the claimed method discussed above (claims 4-9, respectively), wherein all claim limitations also have been addressed and/or covered in cited areas as set forth above. Thus, accordingly, these claims are also obvious.

Art Unit: 2124

Per Claim 19 (as best understood):

The rejection of claim 10 is incorporated, and Buzbee further teaches wherein the

operations further include a user interface for reading from the user at least one of the specified

values of the routine variables, and optimizing instructions wherein the performing operation

includes implementing the optimizing instructions (column 5, lines 66-67 to column 6, lines 1-3).

Per Claim 20 (Amended, as best understood):

This is an apparatus version of the claimed machine-readable medium discussed above,

claim 10, wherein all claim limitations also have been addressed and/or covered in cited areas as

set forth above. Thus, accordingly, this claim is also obvious.

Per Claim 22 (as best understood):

This is an apparatus version of the claimed machine-readable medium discussed above,

claim 17, wherein all claim limitations also have been addressed and/or covered in cited areas as

set forth above. Thus, accordingly, this claim is also obvious.

Per Claims 23 (as best understood) & 25-27 (as best understood):

These are apparatus versions of the claimed machine-readable medium discussed above

(claims 10 & 13-15), wherein all claim limitations also have been addressed and/or covered in

cited areas as set forth above. Thus, accordingly, these claims are also obvious.

Art Unit: 2124

Per Claim 28 (as best understood):

The rejection of claim 20 is incorporated, and Hayashi further teaches wherein the change

in the intermediate routine file includes a user selectable optimization (column 15, lines 66-68 to

column 16, lines 1-16).

Per Claim 29 (as best understood):

This is an apparatus version of the claimed machine-readable medium discussed above,

claim 18, wherein all claim limitations also have been addressed and/or covered in cited areas as

set forth above. Thus, accordingly, this claim is also obvious.

Per Claim 30 (as best understood):

The rejection of claim 20 is incorporated, and Hayashi further teaches wherein the

computing system includes a plurality of processors that each have an architecture of the target

computing system (column 11, lines 61-65).

Response to Arguments

17. Applicant's arguments with respect to claims 1, 4-10, 13-20, 22-23 and 25-30 have been

considered but are most in view of the new ground(s) of rejection.

In the remarks, the applicant argues that:

a) Applicant's independent claims include limitations not disclosed in Hayashi or Buzbee.

Therefore, applicant's independent claims are patentable over Hayashi in view of Buzbee.

Art Unit: 2124

Page 13

For example, applicant's independent claims include the newly added claim limitation, or a limitation similar thereto, of:

generating a machine language ...

evaluating ...

The newly added claim limitations as show above are neither disclosed nor suggested in Hayashi or Buzbee. ...

However, there is no disclosure in Hayashi or Buzbee of applicant's claimed:

evaluating whether a stopping criterion after said executing is met and if not, repeating said performing through said measuring, saving the machine language routine having a

best measured characteristic, until the stopping criterion is met wherein said characteristic

includes at least one of a timing wherein the best measured timing is a lowest timing, a

machine language routine size, and a bus utilization metric. (Applicant's claim 1.)

Therefore, applicant's claims include limitations not disclosed nor suggested in Hayashi or Buzbee. As a result, applicant's claims are patentable over Hayashi in view of Buzbee.

Furthermore, the remaining claims depend from at least one of the independent claims discussed above, and therefore include the distinguishing limitations of the independent claims.

As a result, applicant's remaining claims are also patentable over Hayashi in view of Buzbee.

Examiner's response:

Art Unit: 2124

a) Claims 1, 4-10, 13-20, 22-23 and 25-30 are *now* rejected under 35 U.S.C. 103(a) as being unpatentable over Hayashi (U.S. 5,396,631) in view of Buzbee (U.S. 5,815,720), and further in view of Granston (U.S. 5,966,538).

As previously pointed out in the last Office Action (Final Rejection, Mailed on 11/5/03), *Buzbee* teaches generating a machine language routine in a computer system from the intermediate language routine (column 3, lines 32-33); executing the machine language routine from the main memory of the first computing system using the initialized values; and measuring a characteristic of the execution (column 3, lines 33-34); evaluating whether a stopping criterion after said executing is met and if not, repeating said performing through said measuring, saving the machine language routine having a best measured characteristic, until the stopping criterion is met (column 6, lines 18-28 and Fig. 6; the machine language routine having a best measured characteristic is inherently saved); and *Granston* teaches that the characteristic includes at least one of a timing wherein the best measured timing is a lowest timing, a machine language routine size, and a bus utilization metric (column 4, lines 34-48).

Applicant fails to distinctly and specifically point out any error in the citations for these limitations. Instead, applicant's arguments broadly summarizes the Hayashi and Buzbee references, which amount to a general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references.

See the rejection above in paragraph 16 for rejection to claims 1, 4-10, 13-20, 22-23 and 25-30.

Application/Control Number: 09/675,975 Page 15

Art Unit: 2124

Conclusion

18. Any inquiry concerning this communication from the examiner should be directed to Qamrun Nahar whose telephone number is (703) 305-7699. The examiner can normally be reached on Mondays through Thursdays from 9:00 AM to 6:30 PM. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kakali Chaki, can be reached on (703) 305-9662. The fax phone number for the organization where this application or processing is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Racen Me.

QN August 5, 2004

KAKALI CHAKI SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100